

TECHNICAL SPECS Kleine Duyck





GENERAL INFORMATION

ADRESS- AND CONTACT DETAILS

Raadhuisplein 3-9 2132TZ HOOFDDORP

Phone: +31 23 5563700 E-mail: techniek@Cpunt.nl Website: www.Cpunt.nl

DIMENSIONS

Stagesize: 8.00 x 3.50 m Stage height: 0.80 m Clearance stage: 6.00 m

Capacity seated: On Request Production@cpunt.nl

Capacity standing: 200 (including balcony)



SOUND

SOUND LIMIT

Sound levels are restricted by law to Leq=103 dB(A)/15 minutes. There are no limiters installed, but sound levels are continuously monitored and logged.

Main

6 x L'acoustics ARCS full range element 4 x SB18i 18" sub

Amps

2 x LA4 (locked) 1 x LA8 (locked)

Desk (FOH + MON)

1 x Soundcraft VI3000 for FOH & MON

Monitors

8 x D&B monitors M6 (active) 4 x D&B amps 30 D

Microphones / DI's

Standard mic's/stands, DI's and stage-infra available



LIGHT

Console

Avolites Quartz & Mobile Wing (17.2)

Stage

6 x Robe Painte (Mode 2) 16 x Robe Parfect 150 (Mode 2) 1x Stage blinder Flex Blaze 8 pods (40ch)

Front

4x ETC ColorSource V Spot 25-50 Graden (Direct Mode 8ch)

Hall

6 x Spectral M1500 Q4 (25 channel)

Hazer

1 x Swefog K1 Hazer

PYRO/FIREWORKS/CONFETTI

Confetti, Snow, bubble blowers or similar products are not allowed in the Venue.

Any form of pyrotechnics or CO2-jets (Low Noise Nozzle only) must be consented with the venue .

Laser lights must be consented with the venue, our video projectors need to be protected. Any Damage to Equipment of the Venue will be charged on the party involved.

The Venue is not responsible for operating Any Pyro FX / or Streamers.



BACKLINE

DRUMS

Ludwig Element Drumkit

- 1 x Kick 20"
- 1 x Racktom 8"
- 1 x Racktom 10"
- 1 x Floortom 14"
- 1 x Snare 14"
- 1 x Hi-hat 14"
- 1 x Crash 16"
- 1 x Crash 18"
- 1 x Ride 20"

Drumkruk, pedalen en 2 bekkenstands

BASS

1x Ampeg SVT 450 (top + bottom)

GUITAR

1 x Fender Twin Reverb

1x Marshall 1960AV (4x12") + JCM 900(top)

OPTIONAL

DJ GEAR

1x Poineer DJM900NXS

3x Pioneer CDJ2000NXS2