



TECHNICAL SPECS

Grote Duyck





GENERAL INFORMATION

ADRESS- AND CONTACT DETAILS

Raadhuisplein 3-9 2132TZ HOOFDDORP

Phone: +31 23 5563700

E-mail: techniek@Cpunt.nl

Website: www.Cpunt.nl

DIMENSIONS

Stagesize: 14.75 x 6.50 m

Stage height: 1.00 m

Clearance stage: 10.50 m

Capacity seated: On Request / Production@cpunt.nl

Capacity standing: 700 (including balcony)

Cargo Lift dimensions

Height: 2.29m

Depth: 4.38

With: 1.50m

Stage power/signal

Stage Left:

2x Cat5a to FOH 2x Cat6a to FOH / 1x Audio I/O Patch to Amps

1x 32A RED

5x Single 16a cee (audio only)

Stage Right:

1x 125a Wall Mount

1x 32A RED

1x Audio I/O 12CH



SOUND

SOUND LIMIT

Sound levels are restricted by law to $Leq=103$ dB(A)/15 minutes. There are no limiters installed, but sound levels are continuously monitored and logged.

Main

14 x Martin Audio W8LCi
2 x Martin Audio W8LCdi
6 x Martin Audio WS218x

Amps

3 x Martin Audio 6.8Q 4 x 1600W High & Mid (locked)
3 x Powersoft K6 2 x 2500W 4 Ohm Low (locked)
2 x Powersoft K10 2 x 4000W 4 Ohm Sub (locked)

FOH Desk

1 x Soundcraft VI3000

Monitors

9 x D&B M4
1x PFL D&B M4
5 x D&B amps 30D

MON Desk

1 x Soundcraft VI2000 (stage left)
1x 48 ch Stage Rack.

Microphones / DI's

1x Shure Beta 52
1x Shure Beta 91A
5x Shure Sm58
4x Shure Sm57
4x Senn e904
1x AKG C451B
2x KM 184
2x AKG C 214
3x Senn 421 ii\
1x Senn e 906



8x Radial DI Passive and Active
1x Radial Stereo Di

WIRELESS

2 x Shure ULXD4D wireless system
4 x Shure SM58 microphone

LIGHT

Console

Avolites Arena Ver. 17.1

Stage

12 x Robe Paintes (Mode 1)
16 x Robe Ledbeam 150 (Mode 1)
8 x Robe Tetra X (Mode 6)
3 x ACL Par 64
4 x Chauvet Strike 2 Cell Full Color
4 x Chauvet Strike Bolt 1C

Side

4 x Vari*Lite VL550 Wash (13ch)
4 x Robe 350 (Mode 3)

Front

8 x ETC ColorSource V 25-50 Graden (Direct Mode 9ch)
6 x ETC ColorSource V Fresnel (Direct Mode 8ch)

Hall

18 x QueLed QR5 11CH RGBWA
4 x Robe 350 (Mode 3)
1 x Swefog XEON II Intellahazer

Hazer

1 x Swefog XEON II Intellahazer



PYRO/FIREWORKS/CONFETTI

Confetti, Snow, bubble blowers or similar products are not allowed in the Venue.

Any form of pyrotechnics or CO2-jets(Low Noise Nozzle only) must be consented with the venue .

Laser lights must be consented with the venue, our video projectors need to be protected.

Any Damage to Equipment of the Venue will be charged on the party involved.

The Venue is not responsible for operating Any Pyro FX / or Streamers.

BACKLINE

DRUMS

Ludwig Element Drumkit

1 x Kick 22"

1 x Racktom 10"

1 x Racktom 12"

1 x Floortom 16"

1 x Snare 14"

1 x Hi-hat 14"

1 x Crash 16"

1 x Crash 18"

1 x Ride 20"

DrumChair and Stands

BASS

2x Ampeg SVT Classic 8x10 (top + bottom)

GUITAR

2 x Fender Twin Reverb 65 **black**

2x Marshall 1960AV (4x12") + JCM 900 (top)

OPTIONAL

DJ GEAR

1x Poiner DJM900NXS2

3x Pioneer CD3000